

Customer Registration

URL : <https://papi.razaengage.com/CustomerRegistration/add>

METHOD : POST

AUTHORIZATIO : BASIC BODY

:

Parameter	Type
CompanyReferenceNumber	String
CountryId	Number *
TimeZoneId	Number *
CurrencyId	Number *
Name	String *
ShortName	String *
Address	String *
Email	String *
SupportEmail	String *
BillingEmail	String *
RatesEmail	String *
PhoneNumber	String *
BalanceAlertPercentage	String *

```
{  
  "CompanyReferenceNumber": "1",  
  "CountryId": 1,  
  "TimeZoneId": 47,  
  "CurrencyId": 1,  
  "Name": "CompanyUsingApi",  
  "ShortName": "Comp_api",  
  "Address": "string",  
  "Email": "abc@gmail.com",
```

```

"SupportEmail": "abc@gmail.com",
"BillingEmail": "abc@gmail.com",
"RatesEmail": "abc@gmail.com",
"PhoneNumber": "919070573939",
"BalanceAlertPercentage": 0
}

```

Note: Parameter marked with * are required

Response:

Success :

```

{
  "OperationCode": 0,
  "Status": "Failed",
  "Remarks": "Customer already exists!",
  "ReturnValue": 0
}
Failure:
{
  "OperationCode": 1,
  "Status": "OK",
  "Remarks": "Customer added successfully.",
  "ReturnValue": 23 //customer id
}

```

Send SMS

URL for V3 : <https://papi.razaengage.com/api/SendSms?>

Note : Add api_id and api_password in Customer Http Connection (phoenix's admin panel) and just change the url, no need to change in existing implementation

URL for Phoenix : <https://papi.razaengage.com/SendSmsV2>

Get Request :

```

https://papi.razaengage.com/SendSmsV2?apiToken=qyJhKrVLoNCHKI4P&messageType=1&messageEnco
ding=1&destinationAddress=918744815388&sourceAddress=TSTALA&messageText=Hello
1&callBackUrl=https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851&userRefer
encId=nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg

```

Post Request :

Parameter	Type
apiToken	String *
messageType	String *
messageEncoding	String *
destinationAddress	String *
sourceAddress	String *
messageText	String *
callBackUrl	String
userReferenceId	String

```
{  
  "apiToken": "qyJhKrVLoNCHK14P",  
  "messageType": "1",  
  "messageEncoding": "1",  
  "destinationAddress": "918744815388",  
  "sourceAddress": "TSTALA",  
  "messageText": "Hello", "callBackUrl": "https://webhook.site/50791112-aea5-406ba5e5-8a2a6a4eb851",  
  "userReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg"  
}
```

Note: Parameter marked with * are required

DATA encoding values

0== default

1== ascii

2== octet

3== Latin1

4==octetunspecified

6== cyrillic

7==Latin Hebrew

8==UCS2

Message Type values

messageType =1 -----promotional messageType

=2 ---- transactional messageType =3 -----OTP

Response:

```
[
  {
    "MessageId": 25,
    "OperationCode": 0,
    "Status": "Success",
    "DlrStatus": null,
    "UserReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg",
    "DestinationAddress": "918744815388",
    "Remarks": "Message Submitted",
    "CallBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
  }
]
```

Callback Response:

```
{
  "messageId": 22,
  "operationCode": 0,
  "status": "Success",
  "dlrStatus": "Delivered",
  "userReferenceId": "nzwBePCGzXCC6G9rjD31t9kgUIAQ4GRg",
  "destinationAddress": 918744815388,
  "remarks": "Dlr Status is : Delivered",
  "callBackUrl": "https://webhook.site/50791112-aea5-406b-a5e5-8a2a6a4eb851"
}
```

```
DLR Status: None = 0,
Enroute = 1,
Delivered = 2,
Expired = 3,
Deleted = 4,
Undeliverable = 5,
Accepted = 6,
Unknown = 7,
Rejected = 8
```